



Electric Winch

Model: **CP-500T**

PN: 155760 380V50Hz 157799 415V50Hz 153440 440V60Hz 150588 380V50Hz
153455 480V60Hz 158842 415V50Hz 931093 380V60Hz

Introduction

► Feature

- Lifting capacity: 500 kg at wire rope top layer
- Lifting height: 58 m
- Lifting speed: 12~18 m/min at 50Hz ; 14~22m/min at 60Hz
- Brake: Electromagnetic spring-applied failsafe brake
- Control: Pendant switch powers the winch

► Unpacking

- Winch assembly 1pc
- Wire rope 7 mm x 60 m 1pc
- Untwist wire rope 7 mm x 60 m for PN:150588 1pc
- Weight hook CHW-0005 1pc
- Pendant switch w/cord 3.5 mm² x 5C x 6 m 1pc
- PN 158842 excludes remote control Part No.19

► Read this manual carefully

You should carefully read and understand this manual before operating it. Careless winch operation may result in personal injury hazards or property damage.

► Information requesting or parts ordering

Please specify the followings information:

- Winch PN
- Serial number
- Part description
- Replacement part number
- Quantity for each part


Installation

Before using the winch, make sure all electrical components have no corrosion or damaged; the environment should be clear and dry.

► Performance

Winch Model		CP-500T									
Motor	kw x p	1.8 x 4									
Recommend Wire Rope	Size (mm)	7									
	Breaking (kg)	2,700									
1 st Layer	Rated Load (kg)	50Hz	757	2 nd Layer	Rated Load (kg)	50Hz	671	3 rd Layer	Rated Load (kg)	50Hz	602
		60Hz				60Hz				60Hz	
	Speed (m/min)	50Hz	12	Speed (m/min)	50Hz	13.4	Speed (M/min)	50Hz	14.9		
		60Hz	14		60Hz	16		60Hz	17.8		
Rope-Winding Cumulating Sum (m)			10	Rope-Winding Cumulating Sum (m)			22	Rope-Winding Cumulating Sum (m)			35
4 th Layer	Rated Load (kg)	50Hz	546	5 th Layer	Rated Load (kg)	50Hz	500				
		60Hz				60Hz					
	Speed (m/min)	50Hz	16.4	Speed (m/min)	50Hz	18					
		60Hz	19.6		60Hz	22					
Rope-Winding Cumulating Sum (m)			50	Rope-Winding Cumulating Sum (m)			60				

► Wiring Diagram



Warning

- The winch is not intended to be used in any manner for the movement or lifting of personnel.
- The lifting capacity shown is based on the top layer of rope on the drum.
- The rope winding on the drum shall remain 5 wraps from the drum.

Parts List

Item No.	Description	Part No	Qty
1	Induction motor kit 220/380V/50Hz	880459	1
	Induction motor kit 208/415V/50Hz	880460	
	Induction motor kit 220/380V/60Hz	880457	
	Induction motor kit 240/480V/60Hz	883117	
2	Control box	880957	1
3	Bridge rectifier CBR-072	880425	1
4	Support bracket	880426	2
5	Drum kit	880427	1
6-1	Tie bar	880428	1
6-2	Tie bar kit	880429	2
6-3	Tie bar kit	880430	2
7	2 nd shaft kit	880431	1
8	Gear box kit	880432	1
9	1 st stage carrier	881301	1
10	1 st shaft kit	881302	1
11	Conductor kit	880435	1
12	Brake coil	880436	1
13	Conductor plate A	880438	2
14	Brake disc	880379	2
15	Hex socket	880440	1
16	Conductor plate A kit	880437	1
17	Brake cover	880442	1
18	Wire rope w/weight hook	880443	1
	Untwist wire rope w/weight hook for PN:150588	883611	1
19	Remote control	880387	1

Winch Assembly

